

Company Name :	Paradise Washing Plant Ltd.
Address	277/4, Kobi Jashimuddin Road, Pagar, Tongi, Gazipur.
Audit Reference Number	Supplier/2018
Audit Date	26.08.2018
Auditor Name:	Mr. Ismail Al Ansary (Sr.Executive Compliance). Monwara Begum Happy
	(Sr. Executive, Compliance), Fatema Khatun (Asst. Executive,
	Env.Compliance)
Company Representative	Mr.Taifur Rahman (Director), Mr. Ashim Kumar Majumder (Sr.DGM
Acknowledgement;	Compliance), Mr. Mazharul Alom Milon (AGM- Admin),
Audit Standard :	Social Compliance
Audit Type:	New/ INITIAL
Opening Meeting	9.30 A.M
Factory Tour	10.30 A.M.
Worker Interview	12.30– 1.00 P.M. (with P/File)
Document Review	1.30 P.M - 4.30 P.M. (May - July, 2018, 3 month Salary sheet)
Report writing	3.00 P.M. – 4.00 P.M.
Closing Meting	5.00 P.M.
% of NC (IA)	40.00%
<b>Audit Assessment</b>	Continuous Improvement/Excellent/Green



#### **Short Description**

This factory established in 01 September 2009. It is G+7 storied building and TTL space 1, 15,510 sqf.

Approved Floor PWPL 7th Floor till.

Recent Buyer – Gap,H&M, NEXT,George,Tema & Miles. Production Capacity – 60,000 pcs/month

1	PWPL TIN Shade running floor	5000
2	PWPL Ground floor/Loading unloading area	10044
3	PWPL 1st floor	8335
4	PWPL 1st Mezzanine Floor	1450
5	PWPL 2nd Mezzanine Floor	3480
6	PWPL 2nd floor	11400
7	PWPL 3rd floor	11,460
8	PWPL 4th floor	11,460
9	PWPL 5th floor	11,460



10	PWPL 6th floor	11,170
11	PWPL 7th floor	8911
12	ETP Basement	4760
13	ETP 1st floor/Utility Floor	4860
14	ETP 2nd floor	4860
15	ETP 3rd floor	4860
16	ETP Roof Top	2000
1-16	Total area	1,15,510 SFT

TTL Employee – 1020
 TTL Machine – 157 pcs.



### Floor Layout – (G+7 storied building)

Floor Name	Building#1 (Wash Building)
PWPL Ground floor	Sub Chemical store, Finishing Section, Receive & Delivery Section, Security Room, Load/Unloading Area, Washing section, Dryer section, Hydro section & Quality section.
1st Mezzanine Floor	Lab Department
2nd Mezzanine Floor	Office Room, Director Room, Sr.GM Room & Sample Display Room.
PWPL 1st floor	Wash Section (Machine),Lab Room,Main Office Room,Sub Office Room , Sub Chemical Store.
PWPL 2nd floor	Wash Section (Machine) Wet Sample Section, Sub Office Room, Sub Chemical Store.
PWPL 3rd floor	Dry-Process, Dry-Sample Section & PP Section
PWPL 4td floor	2 Oven Machine, 3 D Section , Laser Room & General Store.



Floor Name	Building#2 (ETP Building)
Basement Floor	ETP EQUALIZATION TANK
Ground Floor	ETP AIR ATION TANK
Mezzanine Floor	Development office
ETP 1st floor	UTILITY ROOM ( BOILER & COMPRESSURE), WORK SHOP
ETP 2nd floor	DRY PROCESS( P.P)
ETP 3rd floor	GENERAL STORE



### **Legal Documents:**

Sl. No.	Certificates/License	Yes	NO	N/A	Remarks
1	Trade License	٧			
2	Fire License	٧			
3	Factory License	٧			
4	Associate Membership	٧			
6	Incorporation Certificate	٧			
7	Vat Registration Certificate	٧			
8	Tin Certificate	٧			
9	Group Insurance	٧			
10	Drinking Water Test Report	٧			
11	Boiler Certificate - 4066	٧			
13	Boiler Certificate - 7339	٧			
14	Boiler Operator Certificate	٧			
15	Registration Certificate, Board Of Investment ( BOI )	٧			
16	Electrical System Certificate	٧			
17	ETP Approval Certificate / Environment Clearance Certificate	٧			
18	ETP Lay Out / Building Approval Plan	٧			
19	Fire Insurance Policy	٧			
20	ERC	٧			
21	IRC	٧			
22	BERC	٧			
23	Acid License	٧			
24	Permission for flammable material	٧			
25	Ground water using permission	٧			
26	NOC	٧			



#### **Policy**

Sl. No.	Certificates/License/Training / Minutes	Yes	NO	N/A	Remarks
1	Recruitment Policy	٧			
2	Discrimination Policy	٧			
3	Anti-Harassment & Abuse Policy	٧			
4	Forced Labor Policy	√			
5	Freedom of Association	٧			
6	Grievance Policy	V			
7	Settlement Policy	√			
8	Training Policy	٧			
9	Environment	V			
10	Safety Policy	٧			
11	Subcontract Policy	٧			



#### **Audit Checklist**

#### **Workers Basic Rights**

Sl. No.	Description	Yes	NO	N/A	Remarks
1	Are workers asked about pregnancy or tested during recruitment.		<b>V</b>		At least, 35 workers have been interviewed and they answered, pregnancy not tested during recruitment. Rather, a notice has been posted and aware all staff in this regard.
2	Is appointment letter provided to all workers	٧			Copy of this letter is provided to all workers by 3 days from the joining.
3	Are all workers well aware about the contents of the appointment letter		V		More training is required.
4	Does the factory tolerate the employees right to freely join of their own choice without previous authorization of the company and within the legal framework.	V			Workers are free to join of their own choice.
6	Is there any restriction to enjoy leave in provision period?	٧			Not found any restriction regarding leave. But number of leave is not sufficient comparing to number of absent. Last 3 months leave status inserted below.  April May June CL in provision period 134 138 115 SL in provision period 22 57 27 TTL leave 156 195 142
7	Is child labor recruited		٧		No child labor found during visit. Facility has recruitment & child labor policy and maintaining it strictly.
8	Is there any restriction to go to toilet or take				Not found



	drinking water		
9	Are all workers well aware about the contents		
	of the appointment letter		More training is required.

### **Working Hour**

Sl. No.	Description	Yes	NO	N/A	Remarks
1	Is OT within legal limit		<b>V</b>		OT hours are not in legal limit  Last three months overtime of Wash Process, Dry Process & finishing section as follows:  Wash Dry Fin  April 18: 48 46 48
					April 18: 48 46 48  May 18: 48 50 50  June 18: 48 48 50  Highest overtime found 50 hours with 26 continuous working days from Wash section, Dry section & Fin section in April, May & June-16.
2	Is facility worked in weekly off day	٧			
3	Is there any record keeping system of OT	٧			Electronic time keeping system
4					
6					
7					



### Wage & Compensation

Sl. No.	Description	Yes	NO	N/A	Remarks
1	Does facility recruit any worker below minimum wage		V		Checked and not found any worker remain below minimum wage
2	Is there any trainee workers		$\checkmark$		No trainee workers recruited.
3	What is the minimum salary of non-skilled worker				TK 6600. – Grade 7
4	What is the minimum salary of skilled worker				Tk. 6980 - Grade 6
6	Describe other grades				Jr.OP - 7100 - Grade 5 Op - 7050 - Grade 4 Sr.Op - 7500 - Grade 3
7	Is there any discrepancy found regarding grade and paying below from the mentioned grade that grade which mentioned in file/wage sheet		٧		Not found
8	Is there any illegal deduction				Not found
9					
10					



#### Workers Relation/Disciplinary/Grievance System

Sl. No.	Description	Yes	NO	N/A	Remarks
1	Is disciplinary action being taken unlawfully?				Not found during audit
2	Is there any PC committee formed	٧			Number of PC members = 12 (Worker – 8, Management – 4)
3	Is PC committee elected or selected				Lawfully elected.
4	Is there any proper grievance channel over there in the facility	٧			
6	Are suggestion/complain boxes available at toilet area	٧			
7	Can workers inform about their grievance easily to the management	٧			
8	Are workers know about the PC members and their activities		V		More training is required
9	Is there any shouting, abuse and harassment found in the floor		<b>√</b>		During visit not found in the floor. Top management arranges regular meeting with mid management on this behavioral issue.



#### **Settlement System**

Sl. No.	Description	Yes	NO	N/A	Remarks
1	Are workers free to submit their resignation				At least, 45 workers have been interviewed and not found
1	letter	٧			any restriction
2	Is settlement benefit provided	٧			
3					
4	Is lefty letter issued to all lefty workers				Yes.
6					
7					

#### **Health & Safety**

Sl. No.	Description	Yes	NO	N/A	Remarks
1					
2	Pulley cover, eye guard, finger guard are fitted with machine properly		V		
4	Is drinking water tested	٧			Last water is taste on and found which is ok.
6	Are all exits marked properly	٧			Yes.
7	Is fire alarm system interconnected with IPS	٧			Fire alarm system is are interconnected with IPS
8	Are PA system, Exit light box connected with IPS	٧			PA system, Exit light box are connected with IPS
9	Is facility have at least 2 exits/floor	٧			Factory has 3 exits and 2 stairs. Each stair width is more than 5 feet.



10	Is facility have sufficient F/Ex and equipment	, , , , , , , , , , , , , , , , , , ,		Sufficient F/Ex and equipment are available. TTL F/Ex - 279, (DCP – 182, Co2 – 95, Foam - 02). Gas mask – 44, Fire blanket – 46, Fire Bucket – 40, etc.
11	Is facility have fire hydrant	•	V	Sprinkler hydrant Sytem is Installed & Alliance Approved.
11	is facility have the hydrant		٧	opinition rigarant Cytom to motalica a 7 mario 7 approved.

Sl. No.	Description	Yes	NO	N/A	Remarks
1	Are workers using mask				More than 80% workers using musk.
2	Is female toilet sufficient	<b>V</b>			Yes. 11 toilets for female workers.
3	Is male toilet sufficient	<b>V</b>			Yes. 33 toilets for male workers.
4	Is sufficient covered bin available in female toilet		<b>√</b>		Sufficient covered bin should be provided.
6	Is fire drill carried out regularly	٧			Evacuation Drill carried out every months
7	Is number of Fire fighters sufficient		1		Already 420 workers are trained by BGMEA (100) and FSD (320). In-house trained – 350 IN 2018
8		٧			

#### **Training**

Sl. No.	Description	Yes	NO	N/A	Remarks
1	Is orientation/induction training provided for				
1	new workers	٧			
2	Are all workers well aware about the contents				More training is required
	of the appointment letter				
3	Is Fist aid training available	٧			
4	Is PPE Training sufficient	٧			
6	PPE training is provided to spot cleaner	٧			
7	Is Mid management training available	٧			
8					



#### **Chemical Management**

Sl. No.	Description	Yes	NO	N/A	Remarks
1	Does facility do chemical inventory monthly				Inventory is done monthly basis. Factory is using.
1	basis	٧			
2	Is facility have chemical purchase procedure	٧			
3	Is original MSDS available	٧			
4	Is RSL/Guarantee letter available	٧			
5	Are all chemicals labeled properly	٧			
6	Is PPE training is provided to spot cleaner	٧			
7	Is spot room separated and well protected	٧			
8	Is eye wash station available there	٧			
9	Are chemicals stored properly	٧			
10	Is the room well ventilated	٧			Ventilation is ok.



#### **Environment**

Sl. No.	Description	Yes	NO	N/A	Remarks
1	Is facility track uses of electricity with meter	٧			Inventory is done monthly basis.
2	Is facility track uses of Gas with meter	٧			
3	Is water meter installed in inlet to measure the usage of water		V		
4	Are wastage items segregated and stored with type	٧			Yes.
6	Is there any agreement with wastage collector for recycle	<b>V</b>			
7	Are wastage items tracked	٧			
8	Is facility have environmental license				
9	MSDS, Labelling		٧		Due to Constructional work going on in main Chemical Store some Chemical labeling are missing



### Rating System

Violation Code	Violation Rate	Result
ZT	1%	Red/Zero Tolerance
IA	0 - 40%	Continuous Improvement/Excellent/Green
IA	41 – 65%	Satisfactory/Yellow
IA	66 – 80%	Needs Improvement/Orange
IA	80% above	Red/Zero Tolerance
NI	Only NI	Needs Improvement
ST	Only ST	Satisfactory
CI	Only CI	Continuous Improvement/Excellent

Excellent – Green
 Satisfactory – Yellow
 Need Improvement – Orange
 Zero Tolerance – Red

REPORT RECEIVED BY: ASHIM KUMAR MAJUMDAR (SR.DGM, COMPLIANCE)